

Work Order ID 164168

Friday, July 14, 2017 8:35:40 AM

164168

Ship Aug 1

Page 1

Item ID: D350-591-216

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Heli-Access-Step™ RH - Low Gear, Short Step, Aerazur Float Compatible

Start Date: 7/20/2017 Start Qty: 1.00

1

Cust Item ID:

Required Date: 8/1/2017 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals:

Process Plan: DAS

Date: JUL 14 2017

Tooling:

Date:

Run Start

NR1

QC: 21

Date:

SPC (Y/N):

Date:

Stop

NR2

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

DSI 9472

A

IIN-D350-591

H

DAS
6

JUL 19 2017

100

Document Control

0.00

100

DOCUMENT CONTROL

DC

Memo

0.00

Doc.Control -USB or Paperwork

Photocopy bluefile and type labels as per PPP D350-591-216 CHG004

DAS
38

JUL 31 2017

270

Pick Kit

0.00

270

Packaging

Memo

0.01

Packaging

JUL 20 2017

DAS
6

7-89

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																						
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																						
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																						
Large Fab ☐	Composite ☐	Supplier ☐																							
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																		
Description Work Order Deviation				Disposition																					
								Completed By																	
								Lead hand / Supervisor Approval Verification																	
								QC / QA Coordinator Approval																	
Root Cause		FAULT CATEGORY																							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	OTHER : ☐																			

Work Order ID 164168

Friday, July 14, 2017 8:35:40 AM

164168

Page 2

Item ID: D350-591-216

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Heli-Access-Step™ RH - Low Gear, Short Step, Aerazur Float Compatible

Start Date: 7/20/2017 Start Qty: 1.00

1

Cust Item ID:

Required Date: 8/1/2017 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

Run Start ***NR1***

QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

280

QC4- 100% Inspect kits for completeness

0.00

280

QC

Memo

0.03

Quality Control

DAS

38

9-89

JUL 31 2017

290

Identify as per dwg & Stock Location: _____

0.00

290

Packaging

Packaging

Memo

0.00

Packaging

Identify and pack for shipping as per PPP D350-591-216
Location:FG038DAS
28
9-89

JUL 31 2017

DAS
9-89

300

QC21- Final Inspection - Work Order Release

0.00

300

QC

Memo

0.10

Quality Control

JUL 31 2017

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
OTHER : ☐									

Picklist Print

Friday, July 14, 2017 8:35:43 AM

Page 1

Work Order ID: 164168

164168

Parent Item: D350-591-216

D350-591-216

Parent Item Name: Heli-Access-Step™ RH - Low Gear, Short Step, Aerazur Float Compatible

Start Date: 7/20/2017

Required Date: 8/1/2017

Start Qty: 1.00

Required Qty: 1.00

Comments:

IPP Rev:A02.10.17New issue KJ
 IPP Rev:B 06-06-19 Added D2732-030 AS PER DSI9294 JLM
 IPP Rev:C 06-06-27 Revised as per DSI9340 JLM IPP REV:D
 16.03.15 AS PER IIN REV.H DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
AN4-16A		Purchased	No			270	Each	11.0000	4	4			
AN4-16A	DAS 38 9-89								**				
Bolt												JUL 20 2017	DAS 6 9-89
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			DAS 28 9-89
				FG				5					
					121541			5					
				ST343				6		<u>138840</u>			
					M137507			6					
D3168-042		Manufactured	No			270	Each	0.0000	1	1			
D3168-042	DAS 38 9-89								**				
Step Assembly, Low Short RH										<u>164168</u>		JUL 20 2017	DAS 6 9-89
D2230-3		Manufactured	No			270	Each	120.0000	2	2			
D2230-3	DAS 38 9-89								**				
Mounting Lug												JUL 20 2017	DAS 6 9-89
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			DAS 28 9-89
				FG				4					
					109344			4					
				ST521				116		<u>2</u>			
					158456			20					
					162754			96					

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Picklist Print

Friday, July 14, 2017 8:35:43 AM

Page 2

Work Order ID: 164168

164168

Parent Item: D350-591-216

D350-591-216

Parent Item Name: Heli-Access-Step™ RH - Low Gear, Short Step, Aerazur Float Compatible

Start Date: 7/20/2017

Required Date: 8/1/2017

Start Qty: 1.00

Required Qty: 1.00

D2618 Manufactured No 270 Each 62.0000 2 2

D2618

Bushing

DAS
38
9-89

**

JUL 20 2017

DAS
28
9-89

<u>Location</u>	<u>Loc Qty</u>	<u>Loc Code</u>
ST008A	62	
160408	1	
162353	11	
162901	50	

2

D2732 Manufactured No 270 f 435.7983 1 1

D2732

Rubber Cushion (\$per foot)

DAS
38
9-89

**

JUL 20 2017

DAS
28
9-89

<u>Location</u>	<u>Loc Qty</u>	<u>Loc Code</u>
ST412	435.7983094	
150042	2.09830942	
158449	433.7	

162952

(D2732-030) CUT (4) AT 3.00" PER KIT

D3235-1 Manufactured No 270 Each 151.0000 2 2

D3235-1

Mounting Lug

DAS
38
9-89

**

JUL 20 2017

DAS
28
9-89

<u>Location</u>	<u>Loc Qty</u>	<u>Loc Code</u>
ST522	50	
162413	50	
ST525A	101	
158458	1	
162757	100	

2

Friday, July 14, 2017 8:35:43 AM

Shop Packet Print

Page 2

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date: _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Picklist Print

Friday, July 14, 2017 8:35:43 AM

Page 3

Work Order ID: 164168

164168

Parent Item: D350-591-216

D350-591-216

Parent Item Name: Heli-Access-Step™ RH - Low Gear, Short Step, Aerazur Float Compatible

Start Date: 7/20/2017

Required Date: 8/1/2017

Start Qty: 1.00

Required Qty: 1.00

AN3-35A	Purchased	No	270	Each	72.0000	2	2	DAS	
AN3-35A								6	DAS
Bolt								38	28
								9-89	9-89
JUL 20 2017									
			<u>Location</u>		<u>Loc Qty</u>	<u>Loc Code</u>			
			FG		10				
			122800		10				
			ST348		62				
			M137495		12		2		
			M137886		50				
AN4-15A	Purchased	No	270	Each	86.0000	4	4	DAS	
AN4-15A								6	DAS
Bolt								38	28
								9-89	9-89
JUL 20 2017									
			<u>Location</u>		<u>Loc Qty</u>	<u>Loc Code</u>			
			GA		10				
			120449		10				
			ST343		76				
			m137820		76		4		
AN5-36A	Purchased	No	270	Each	100.0000	2	2	DAS	
AN5-36A								6	DAS
Bolt								38	28
								9-89	9-89
JUL 20 2017									
			<u>Location</u>		<u>Loc Qty</u>	<u>Loc Code</u>			
			ST336		100				
			m137820		50		2		
			m137963		50				

Friday, July 14, 2017 8:35:43 AM

Shop Packet Print

Page 3

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date: _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			OTHER : _____	

Picklist Print

Friday, July 14, 2017 8:35:43 AM

Page 4

Work Order ID: 164168

164168

Parent Item: D350-591-216

D350-591-216

Parent Item Name: Heli-Access-Step™ RH - Low Gear, Short Step, Aerazur Float Compatible

Start Date: 7/20/2017

Required Date: 8/1/2017

Start Qty: 1.00

Required Qty: 1.00

NAS1149D0363J

Purchased

No

270

Each

1,366.000

4

4

NAS1149D0363.J

Washer

DAS 38 9-89

**

JUL 20 2017

DAS

DAS 6 9-89

28 9-89

Location

Loc Qty

Loc Code

GA

33

m134055

13

m137164

20

ST263

1333

m137587

333

m137963

1000

NAS1149D0463J

Purchased

No

270

Each

3,013.000

12

12

NAS1149D0463.J

Washer

DAS 38 9-89

**

DAS 6 9-89

JUL 20 2017

DAS

28 9-89

Location

Loc Qty

Loc Code

GA

560

M135056

40

M137699

520

ST260a

2000

M137699

1400

M137988

600

ST263

453

M137371

453

NAS1149D0563J

Purchased

No

270

Each

1,396.000

4

4

NAS1149D0563.J

Washer

DAS 38 9-89

**

DAS 6 9-89

JUL 20 2017

DAS

28 9-89

Location

Loc Qty

Loc Code

GA

36

m135774

36

ST260a

700

m137820

700

ST263

660

m137587

660

Friday, July 14, 2017 8:35:43 AM

Shop Packet Print

Page 4

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date: _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Picklist Print

Friday, July 14, 2017 8:35:43 AM

Page 5

Work Order ID: 164168

164168

Parent Item: D350-591-216

D350-591-216

Parent Item Name: Heli-Access-Step™ RH - Low Gear, Short Step, Aerazur Float Compatible

Start Date: 7/20/2017

Required Date: 8/1/2017

Start Qty: 1.00

Required Qty: 1.00

MS21042L3

Purchased

No

270

Each

1,269.000

2

2

MS21042L3

DAS
38
9-89

**

Nut

Location

Loc Qty

Loc Code

FP001

79

m135945

79

GA

376

m134360

102

M136665

274

OVER007

500

m137988

500

ST303

314

m137680

14

m137886

300

DAS
6 JUL 20 2017

DAS
28
9-89

MS21042L4

Purchased

No

270

Each

2,372.000

6

6

MS21042L4

DAS
38
9-89

**

Nut

Location

Loc Qty

Loc Code

FP001

10

m133363

10

GA

11

m135058

11

OVER007

2000

m137680

1000

m137988

1000

ST303

351

m137402

335

m137544

16

DAS
6 JUL 20 2017

DAS
28
9-89

Friday, July 14, 2017 8:35:43 AM

Shop Packet Print

Page 5

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																						
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																						
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																						
Large Fab ☐	Composite ☐	Supplier ☐																							
Date : 03/05/2011		Step #:		QTY Effective :			MRB (QSI042) Approval																		
Description Work Order Deviation				Disposition				Completed By																	
03/05/2011								Lead hand / Supervisor Approval Verification																	
								QC / QA Coordinator Approval																	
Root Cause		FAULT CATEGORY																							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐																				
OTHER : ☐																									

Picklist Print

Friday, July 14, 2017 8:35:43 AM

Page 6

Work Order ID: 164168

164168

Parent Item: D350-591-216

D350-591-216

Parent Item Name: Heli-Access-Step™ RH - Low Gear, Short Step, Aerazur Float Compatible

Start Date: 7/20/2017

Required Date: 8/1/2017

Start Qty: 1.00

Required Qty: 1.00

MS21042L5

Purchased

No

270

Each

689.0000

2

2

MS21042L5

Nut

DAS
38
9-89

**

DAS
6
JUL 20 2017

Location

Loc Qty

Loc Code

GA

12

m127813

12

OVER007

200

m137963

200

ST303

477

m137478

4

m137587

473

DAS
28
9-89

Friday, July 14, 2017 8:35:43 AM

Shop Packet Print

Page 6

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS D350-591 REV. G OR EARLIER
AND
INSTRUCTIONS OF CONTINUED AIRWORTHINESS ICA-D350-591 REV. 2 OR EARLIER
REF CANADIAN STC: SH92-6
REF FAA STC: SH967NE

For D350-591-213/-214/-215/-216 steps, customers have the option of installing D2732-030 cushion under the clamps to accommodate varying crosstube diameters and to improve fit, as indicted in Installation Instructions D350-591. This Service Instruction adds longer AN4-16A bolts to the parts list to allow installation of these cushions. See Figure 1 on sheet 2 of this service instruction for reference. Installation of the D2856-400-720 Abrasion Strips per Installation Instructions D350-591 is not required when the cushions are installed.


For D350-591-213/-214/-215/-216 steps at CHG 003, the parts list of D350-591 Rev. G and ICA-D350-591 Rev. 2 is amended as follows:

ADD:

Qty -213	Qty -214	Qty -215	Qty -216	Part Number	Description
X				D350-591-213	<i>Heli-Access-Step</i> ™, Short Step – High Skid, LH
	X			D350-591-214	<i>Heli-Access-Step</i> ™, Short Step – High Skid, RH
		X		D350-591-215	<i>Heli-Access-Step</i> ™, Short Step – Low Skid, LH
			X	D350-591-216	<i>Heli-Access-Step</i> ™, Short Step – Low Skid, RH
4	4	4	4	AN4-16A	BOLT

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 16916845
1-207-14

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED
BY: 
D. SHEPHERD (DE # 02)
DATE: 09.08.05
CERT. NO.: SH92-6
ISSUE NO.: 11

A	NEW ISSUE	RF	09.08.05
REV.	DESCRIPTION	BY	DATE
DESIGN	92	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	UP	DRAWING NO.	REV. A
MFG. APPR.	NDA	DSI 9472	SHEET 1 OF 2
APPROVED	AN	TITLE	SCALE
DE APPR.	MT	BOLT ADDITION	NTS
DATE	09.08.05	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table style="width: 100%; border: none;"> <tr> <td style="width: 15%;">Skid-tube ☐</td> <td style="width: 15%;">Cross tube ☐</td> <td style="width: 15%;">Water Jet ☐</td> <td style="width: 15%;">Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																						
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																						
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																						
Large Fab ☐	Composite ☐	Supplier ☐																							
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																	
Root Cause		FAULT CATEGORY																							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐																				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐																				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐																				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐																				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐																				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐																				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐																				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐																				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐																				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐																				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____																							
Misidentified ☐	Past Due ☐																								




FIGURE 1: CLAMP DETAIL
OPTIONAL CLAMP CONFIGURATION

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED
BY: *[Signature]*
D. SHEPHERD (DE # 02)

DATE: 09.08.05
CERT. NO.: SH92-6
ISSUE NO.: 11

DESIGN	92	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	92	DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9472	SHEET 2 OF 2
APPROVED	[Signature]	TITLE	SCALE
DE APPR.	[Signature]	BOLT ADDITION	NTS
DATE	09.08.05	COPYRIGHT © 2009 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : ☐							
Misidentified ☐	Past Due ☐								

Work Order ID 164168

Friday, July 14, 2017 8:35:40 AM

164168

Ship Lag 1

Page 1

Item ID: D350-591-216 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Heli-Access-Step™ RH - Low Gear, Short Step, Aerazur Float Compatible
 Start Date: 7/20/2017 Start Qty: 1.00 *1* Cust Item ID:
 Required Date: 8/1/2017 Req'd Qty: 1.00 *1* Customer:
 Reference:

Approvals: Process Plan: _____ Date: JUL 14 2017 Tooling: _____ Date: _____ Run Start *NR1*
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
DSI 9472	A								
IIN-D350-591	H								
100	Document Control	0.00							
100	DOCUMENT CONTROL								
DC	Memo	0.00							
Doc.Control -USB or Paperwork	Photocopy bluefile and type labels as per PPP D350-591-216 CHG004								
270	Pick Kit	0.00							
270									
Packaging	Memo	0.01							
Packaging									

DAS
5
9:09

JUL 20 2017



Supplemental Type Certificate

This approval is issued to:

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, Ontario
Canada K6A 1K7

Number: SH92-6

Issue No.: 11

Approval Date: February 06, 1992

Issue Date: February 11, 2009

Responsible Office:

Ontario

Aircraft/Engine Type or Model:

EUROCOPTER FRANCE AS 350 BA, B, B1, B2, B3, D, D1,
AS 355 E, F, F1, F2, N, NP

Canadian Type Certificate or Equivalent:

H-83
H-87

Description of Type Design Change:

Heli-Access-Step Installation


**Installation/Operating Data,
Required Equipment and Limitations:**

Heli-Access-Steps to be manufactured in accordance with Dart Aerospace Ltd. Master Document List MDL-D350-591 Rev. A, dated January 23, 2009, or later Transport Canada approved revision.

Heli-Access-Steps to be installed in accordance with Dart Aerospace Ltd. Installation Instructions D350-591 Rev. G, dated October 6, 2008, or later Transport Canada approved revision.

Heli-Access-Steps to be maintained in accordance with Dart Aerospace Ltd. Instructions for Continued Airworthiness ICA-D350-591 Rev. 2, dated October 6, 2008, or later Transport Canada accepted revision.

-- End --



Conditions: This approval is only applicable to the type/model of aeronautical product specified therein. Prior to incorporating this modification, the installer shall establish that the interrelationship between this change and any other modification(s) incorporated **will not** adversely affect the airworthiness of the modified product.


Marco Mariotti
For Minister of Transport

Qty -213	Qty -214	Qty -215	Qty -216	Qty -311	Qty -312	Part Number	Description
X						D350-591-213	<i>Heli-Access-Step™</i> , Short Step – High Skid, LH
	X					D350-591-214	<i>Heli-Access-Step™</i> , Short Step – High Skid, RH
		X				D350-591-215	<i>Heli-Access-Step™</i> , Short Step – Low Skid, LH
			X			D350-591-216	<i>Heli-Access-Step™</i> , Short Step – Low Skid, RH
				X		D350-591-311	<i>Heli-Access-Step™</i> , Long Step – High Skid, LH
					X	D350-591-312	<i>Heli-Access-Step™</i> , Long Step – High Skid, RH
1						D3078-041	STEP ASSEMBLY (HIGH-SHORT, LH)
	1					D3078-042	STEP ASSEMBLY (HIGH-SHORT, RH)
		1				D3168-041	STEP ASSEMBLY (LOW-SHORT, LH)
			1			D3168-042	STEP ASSEMBLY (LOW-SHORT, RH)
				1		D3272-041	STEP ASSEMBLY (HIGH-LONG, LH)
					1	D3272-042	STEP ASSEMBLY (HIGH-LONG, RH)
2	2	2	2	4	4	D2230-3	MOUNTING LUG
2	2	2	2	2	2	D2618	BUSHING
4	4	4	4			D2732-030	CUSHION
				2	2	D2856-400-720	ABRASION STRIP
2	2	2	2	2	2	D3235-1	MOUNTING LUG
				1	1	D3278-041	SUPPORT ASSEMBLY
2	2	2	2	2	2	AN3-35A	BOLT
				8	8	AN4-13A	BOLT
4	4	4	4			AN4-15A	BOLT
2	2	2	2	2	2	AN5-36A	BOLT
4	4	4	4	4	4	NAS1149D0363J	WASHER (AN960JD10)
12	12	12	12	16	16	NAS1149D0463J	WASHER (AN960JD416)
4	4	4	4	4	4	NAS1149D0563J	WASHER (AN960JD516)
2	2	2	2	2	2	MS21042L3	NUT
6	6	6	6	8	8	MS21042L4	NUT
2	2	2	2	2	2	MS21042L5	NUT
				1	1	*DSI 9410-011	STEP MODIFICATION KIT

*DSI 9410-011 Step Modification Kits are provided with all D350-591-311 and D350-591-312 Steps. This kit is provided as an option for the installer and is therefore **NOT REQUIRED** to complete the installation of the D350-591-311 or D350-591-312 Steps. Refer to Figure 15 for installation of the DSI 9410-011 Kit.

REFERENCE ONLY

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS D350-591 REV. G OR EARLIER
AND
INSTRUCTIONS OF CONTINUED AIRWORTHINESS ICA-D350-591 REV. 2 OR EARLIER
REF CANADIAN STC: SH92-6
REF FAA STC: SH967NE

For D350-591-213/-214/-215/-216 steps, customers have the option of installing D2732-030 cushion under the clamps to accommodate varying crosstube diameters and to improve fit, as indicted in Installation Instructions D350-591. This Service Instruction adds longer AN4-16A bolts to the parts list to allow installation of these cushions. See Figure 1 on sheet 2 of this service instruction for reference. Installation of the D2856-400-720 Abrasion Strips per Installation Instructions D350-591 is not required when the cushions are installed.

For D350-591-213/-214/-215/-216 steps at CHG 003, the parts list of D350-591 Rev. G and ICA-D350-591 Rev. 2 is amended as follows:

ADD:

Qty -213	Qty -214	Qty -215	Qty -216	Part Number	Description
X				D350-591-213	<i>Heli-Access-Step</i> ™, Short Step – High Skid, LH
	X			D350-591-214	<i>Heli-Access-Step</i> ™, Short Step – High Skid, RH
		X		D350-591-215	<i>Heli-Access-Step</i> ™, Short Step – Low Skid, LH
			X	D350-591-216	<i>Heli-Access-Step</i> ™, Short Step – Low Skid, RH
4	4	4	4	AN4-16A	BOLT

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 09.08.05
CERT. NO.: SH92-6
ISSUE NO.: 11

A	NEW ISSUE	RF	09.08.05
REV.	DESCRIPTION	BY	DATE
DESIGN		DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9472	SHEET 1 OF 2
APPROVED		TITLE	SCALE
DE APPR.		BOLT ADDITION	NTS
DATE	09.08.05	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	